

What is Claimed:

1 1. An introducer for delivering, into the
2 vasculature at an angeological bifurcation where a blood
3 vessel branches into two branched vessels, a bifurcated
4 endoluminal stent or prosthesis having a proximal portion
5 adapted to be disposed in said blood vessel and a distal
6 portion adapted to be disposed at least partially in one
7 of said two branched vessels, said introducer comprising:

8 (a) a tubular outer sheath;

9 (b) a proximal portion pusher disposed at
10 least partially within said outer sheath; and

11 (c) a distal portion pusher disposed at least
12 partially within said proximal portion pusher.

1 2. An introducer for delivering a bifurcated
2 endoluminal stent or prosthesis as claimed in claim 1
3 further comprising a balloon catheter, having a balloon
4 attached thereto, disposed at least partially within said
5 distal portion pusher.

1 3. An introducer for delivering a bifurcated
2 endoluminal stent or prosthesis as claimed in claim 2
3 further comprising a hemostasis valve attached to the
4 distal end of said distal portion pusher.

1 4. An introducer for delivering a bifurcated
2 endoluminal stent or prosthesis as claimed in claim 2

FOI b7E b7C b7D

3 further comprising wings on said outer sheath and said
4 proximal portion pusher.

1 5. An introducer for delivering a bifurcated
2 endoluminal stent or prosthesis as claimed in claim 2,
3 wherein said balloon catheter has an injection orifice
4 and an injection conduit therein.

1 6. An introducer for delivering a bifurcated
2 endoluminal stent or prosthesis as claimed in claim 2,
3 wherein said balloon catheter has an inflation orifice
4 and an inflation conduit therein.

1 7. An introducer for delivering a bifurcated
2 endoluminal stent or prosthesis as claimed in claim 2,
3 wherein said balloon catheter has a proximal end with a
4 nose cone attached thereto.

1 8. An introducer for delivering into the
2 vasculature at an anatomical bifurcation where a blood
3 vessel branches into two branched vessels, an endoluminal
4 prosthesis having a proximal stent portion and a distal
5 stent portion, said introducer comprising:

6 (a) a tubular outer sheath;

7 (b) a proximal portion pusher disposed at
8 least partially within said outer sheath and having a
9 proximal end adapted to contact said proximal stent
10 portion;

097336-101504

11 (c) a distal portion pusher disposed at least
12 partially within said proximal portion pusher and having
13 a proximal end adapted to contact said distal stent
14 portion; and

15 (d) a balloon catheter, having a balloon
16 attached thereto, disposed at least partially within said
17 distal portion pusher.

1 9. An introducer for delivering an
2 endoluminal stent into the vasculature at an angeological
3 bifurcation where a blood vessel branches into two
4 branched vessels, said introducer comprising:

5 (a) a tubular outer sheath;

6 (b) a proximal portion pusher disposed at
7 least partially within said outer sheath and having a
8 proximal end adapted to contact a distal end of said
9 stent; and

10 (c) a distal portion pusher disposed at least
11 partially within said proximal portion pusher and secured
12 to said proximal portion pusher such that proximal ends
13 of said distal portion pusher and said proximal portion
14 pusher are flush with one another.

1 10. A method for delivering a bifurcated
2 endoluminal stent or prosthesis having a proximal portion
3 and a first distal portion into the vasculature at an

FOIA b 7 - 224660

4 angeological bifurcation where a blood vessel branches
5 into a first branched vessel and a second branched
6 vessel, said method comprising the steps of:

7 (a) inserting a first introducer containing
8 said stent or prosthesis into the vasculature to a
9 predetermined delivery location, said first introducer
10 comprising an outer sheath, a proximal portion pusher,
11 and a distal portion pusher;

12 (b) withdrawing said outer sheath of said
13 first introducer while maintaining said proximal portion
14 pusher in a fixed position until said proximal portion of
15 said stent or prosthesis is deployed from said first
16 introducer into said blood vessel;

17 (c) withdrawing said outer sheath and said
18 proximal portion pusher while maintaining said distal
19 portion pusher in a fixed position until said first
20 distal portion of said stent or prosthesis is deployed
21 from said first introducer at least partially into said
22 first branched vessel; and

23 (d) withdrawing said first introducer from the
24 vasculature.

1 11. A method for delivering a bifurcated
2 endoluminal stent or prosthesis as claimed in claim 10
3 further comprising the steps of:

009786-101604

4 (a) inserting into the vasculature a second
5 introducer containing a second distal portion of said
6 stent or prosthesis and comprising an outer sheath and a
7 pusher;

8 (b) withdrawing said outer sheath of said
9 second introducer while maintaining said pusher of said
10 second introducer in a fixed position until said second
11 distal portion of said stent or prosthesis is deployed
12 from said second introducer such that a proximal end of
13 said second distal portion securely connects to said
14 proximal portion of said stent or prosthesis, and such
15 that a distal end of said second distal portion extends
16 at least partially into said second branched vessel; and

17 (c) withdrawing said second introducer from
18 the vasculature.

1 12. A method for delivering a bifurcated
2 endoluminal stent or prosthesis as claimed in claim 10
3 wherein said first introducer further comprises a balloon
4 catheter having a balloon attached thereto and said
5 method further comprises the step of inflating said
6 balloon to at least partially block blood flow in said
7 blood vessel after inserting said first introducer into
8 the vasculature.

1 13. A method for delivering, into the
2 vasculature at an aneological bifurcation where a blood
3 vessel branches into two branched vessels, an endoluminal

099786-10504

01 00

4 prosthesis having a proximal stent portion, and a distal
5 stent portion, said method comprising the steps of:

6 (a) inserting an introducer containing said
7 prosthesis into the vasculature to a predetermined
8 delivery location, said introducer comprising an outer
9 sheath, a proximal stent portion pusher, a distal stent
10 portion pusher, and a balloon catheter having a balloon
11 attached thereto;

12 (b) inflating said balloon to at least
13 partially block blood flow in said blood vessel;

14 (c) withdrawing said outer sheath of said
15 introducer while maintaining said proximal stent portion
16 pusher in a fixed position until said proximal stent
17 portion of said prosthesis is deployed from said
18 introducer into said blood vessel;

19 (d) withdrawing said outer sheath and said
20 proximal stent portion pusher while maintaining said
21 distal stent portion pusher in a fixed position until
22 said distal stent portion of said prosthesis is deployed
23 from said introducer into said blood vessel; and

24 (e) withdrawing said introducer from the
25 vasculature.

1 14. A method of treating an angeological
2 disease at a bifurcation site where a blood vessel

099783-1050
FBI/DOJ

3 branches into a first branched vessel and a second
4 branched vessel comprising the steps of:

5 (a) disposing in said blood vessel a proximal
6 portion of an endoluminal stent;

7 (b) directing blood flow from said blood
8 vessel into said first branched vessel through a first
9 distal portion of said endoluminal stent, said first
10 distal portion being connected to said proximal portion
11 and extending into said first branched vessel; and

12 (c) directing blood flow from said blood
13 vessel into said second branched vessel through a second
14 distal portion of said endoluminal stent, said second
15 distal portion being connected to said proximal portion
16 and extending into said second branched vessel.

1 15. A method of treating an angeological
2 disease at a bifurcation site where a blood vessel
3 branches into a first branched vessel and a second
4 branched vessel as claimed in claim 14 wherein said
5 disease is stenosis.

1 16. A method of treating an angeological
2 disease at a bifurcation site where a blood vessel
3 branches into a first branched vessel and a second
4 branched vessel as claimed in claim 14 that further
5 comprises covering any of said proximal portion, said
6 first distal portion, and said second distal portion with
7 fabric.

099364650

1 17. A method of treating an angeological
2 disease at a bifurcation site where a blood vessel
3 branches into a first branched vessel and a second
4 branched vessel as claimed in claim 16 wherein said
5 disease is an aneurysm.

1 18. A method of treating an angeological
2 disease at a bifurcation site where a blood vessel
3 branches into a first branched vessel and a second
4 branched vessel as claimed in claim 16 wherein said
5 disease is an occlusion.

1 19. An endoluminal stent comprising a
2 plurality of hoops which are axially displaced in a
3 tubular configuration along a common axis, each of said
4 hoops

5 (a) being formed by a substantially complete
6 turn of a sinuous wire having apices, and

7 (b) having a circumference that lies in a plane
8 substantially perpendicular to the longitudinal axis of
9 said stent;

10 wherein apices of adjacent hoops are juxtaposed
11 to one another, and at least two juxtaposed apices are
12 connected by a securing means.

1 20. A stent as recited in claim 19 in
2 combination with one or more additional stent segments.

0997866-10504

1 21. A stent as recited in claim 20 wherein at
2 least one of said additional stent segments comprises a
3 plurality of hoops which are axially displaced in a
4 tubular configuration along a common axis, each of said
5 hoops

6 (a) being formed by a substantially complete
7 turn of a sinuous wire having apices, and

8 (b) having a circumference that lies in a plane
9 substantially perpendicular to the longitudinal axis of
10 said stent;

11 wherein apices of adjacent hoops are juxtaposed
12 to one another, and at least two juxtaposed apices are
13 connected by a securing means.

1 22. A stent as recited in claim 20 wherein
2 said one or more additional segments are axially aligned
3 with one another.

1 23. A stent as recited in claim 20 wherein
2 said one or more additional segments are secured to one
3 another by connecting means connecting at least some of
4 the apices of hoops at mating ends of said stent and said
5 additional segments.

0957286-4030
T.C.T. 9222580

1 24. A stent as recited in claim 20 wherein
2 adjacent hoops are of the same diameter.

1 25. A stent as recited in claim 20 wherein
2 adjacent hoops are of a different diameter.

1 26. A stent as recited in claim 22 wherein
2 said axially aligned segments are connected to one
3 another by a tubular fabric element.

1 27. A stent as recited in claim 20 wherein a
2 first additional segment is axially parallel to, but non-
3 common co-axial with, said stent.

1 28. A stent as recited in claim 27 further
2 comprising a second additional segment axially parallel
3 to said stent, but non-co-axial with either said stent or
4 said first additional stent segment.

1 29. A stent as recited in claim 28 wherein at
2 least one of said additional stent segments is of
3 frustoconical shape and is further combined with an
4 additional stent segment, one end of which includes a
5 mating frustoconical shape.

1 30. A stent as recited in claim 29, wherein
2 said mating frustoconical stent segments are adapted to
3 be separately placed in a bifurcated artery and then, by

FD-302 (Rev. 4-15-64)

4 expansion of one of said frustoconical stent segments,
5 secured to one another

1 31. An endoluminal stent as claimed in claim
2 19 wherein said hoops are formed of a single continuous
3 wire.

1 32. An endoluminal stent as claimed in claim
2 19 wherein said securing means is a suture.

1 33. An endoluminal stent as claimed in claim
2 32 wherein said suture is a tied loop of thermoplastic
3 material.

1 34. An endoluminal stent as claimed in claim
2 19 wherein said securing means is a ring.

1 35. An endoluminal stent as claimed in claim
2 19 wherein said securing means is a staple.

1 36. An endoluminal stent as claimed in claim
2 19 wherein said securing means is wire twisted into loop.

1 37. An endoluminal stent as claimed in claim
2 36 wherein said wire is nitinol.

099786-104
FOI 934660

[illegible][illegible][illegible][illegible]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

[illegible]

15 (c) winding said wire in a zig-zag pattern
16 around a plurality of upstanding pins on said mandrel to
17 form a second hoop, adjacent said first hoop, having
18 apices juxtaposed to the apices of said first
19 circumferential hoop and a circumference that lies in a
20 plane substantially perpendicular to the longitudinal
21 axis of said mandrel;

22 (d) longitudinally displacing said wire with
23 respect to the axis of said mandrel;

24 (e) repeating steps (a)-(d) to form additional
25 hoops until a predetermined number of hoops are formed;

26 (f) annealing said wire on said mandrel;

27 (g) cooling said wire on said mandrel;

28 (h) removing said wire from said mandrel; and

29 (i) securing together at least two juxtaposed
30 apices of adjacent hoops.

1 43. An endoluminal stent comprising a
2 radiopaque marker disposed on at least one end of the
3 stent.

1 44. An endoluminal stent as claimed in claim
2 43 wherein said radiopaque marker comprises a radiopaque
3 element attached to one end of said stent.

059786-404
FOR "334459"

3 (a) an introducer having a on a distal end
4 thereof; and

5 (b) a cartridge having an inner tubular member
6 containing said stent or prosthesis in a compressed
7 state, an outer sheath, and a second portion of said lock
8 fitting;

9 wherein said first portion of said lock fitting
10 on said introducer mates with said second portion of said
11 lock fitting on said cartridge to prevent relative
12 movement of said introducer and said cartridge.

1 52. Apparatus as claimed in claim 51 wherein
2 said lock fitting is a Luer lock.

53. Apparatus as claimed in claim 51 further comprising a hemostasis valve on said introducer and a pusher adapted to push said compressed stent or prosthesis through said cartridge, through said introducer, and into the vasculature.